### MATERIAL SAFETY DATA SHEET



1. Product And Company Identification	1 Product And Company Identification				
Supplier GLB 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770)521-5999 FAX Number: (770)521-5959 Web Site: www.poolspacare.com	Manufacturer Advantis Technologies, Inc. 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States Telephone Number: (770) 521-5999 FAX Number: (770) 521-5959 Web Site: www.poolspacare.com				
Supplier Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300	Manufacturer Emergency Contacts & Phone Number CHEMTREC - DAY OR NIGHT: (800) 424-9300				
Issue Date: 04/26/2006 Product Name: Rendezvous Minute Rinse Chemical Name: Multi Purpose Cleaner CAS Number: Not Established Chemical Formula: Proprietary Mixture MSDS Number: 12					
2. Composition/Information On Ingredients					
Ingredient Name		CAS Number	Percent Of TotalWeight		
1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONICACID		2809-21-4			
2-BUTOXYETHANOL		111-76-2			
CITRICACID		77-92-9			
Poly(oxy-1,2-ethanediyl),alpha-(nonlyphenyl-omega-hydroxy)- Ingredients listed in this section have been determined to be hazardous as defined in 29CFR 1910.1200. Materials determined to be health hazards are listed if they comprise 1% or more of the composition. Materials identified as carcinogens are listed if they comprise 0.1% or more of the composition. Information on proprietary materials is available in 29CFR 1910.1200(i)(1).					
3. Hazards Identification					
Primary Routes(s) Of Entry Skin Contact					
<u>Eye Hazards</u> May cause eye burns and tissue damage.					
<u>Skin Hazards</u> May cause skin damage.					
Ingestion Hazards If ingested, get immediate medical attention					
Inhalation Hazards Causes respiratory tract irritation.					
Signs And Symptoms Irritation of Eyes and Respiratory Passages					

### MATERIAL SAFETY DATA SHEET

<u>irst Aid (Pictograms)</u>		
. First Aid Measures		
<u>Eve</u> In case of contact, hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes.Get medical attention immediately.		
Skin In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately if irritation (redness, rash, blistering) develops and persists.		
ngestion Give Milk, Egg Whites of Baking Soda Immediately. Drink large amounts of water. Contact a physician or poison control.		
nhalation If inhaled, remove to fresh air. Consult a physician. If breathing is difficult, give oxygen.		
ire Fighting (Pictograms)		
ABC		
. Fire Fighting Measures		
lash Point: 150 °F		
Extinguishing Media In case of fire, use water spray (fog) foam, dry chemical, or CO2.		
Fire Fighting Instructions Firefighters should wear self-contained breathing apparatus and full protective gear.		
. Accidental Release Measures		
Clean up spill immediately. Contain and/or absorb spill with inert material (e.g. sand, vermiculite). Flush spill area with vater. Use appropriate containers to avoid environmental contamination.		
landling & Storage (Pictograms)		
. Handling And Storage		
landling And Storage Precautions		
Keep out of reach of children. Store material in a cool and dry place.		

### MATERIAL SAFETY DATA SHEET

Protective Clothing (Pictograms)
8. Exposure Controls/Personal Protection
Engineering Controls Local exhaust acceptable. Special exhaust not required
Eye/Face Protection Safety glasses with side shields or goggles.
Skin Protection Chemical-resistant gloves.
Respiratory Protection General room ventilation is normally adequate.
Ingredient(s) - Exposure Limits 2-BUTOXYETHANOL ACGIH TLV-TWA 20 ppm (Skin) OSHA PEL-TWA 50 ppm (Skin)
9. Physical And Chemical Properties
Appearance Clear liquid
Odor Detergent
Chemical Type: Mixture Physical State: Liquid Melting Point: n/a °F Boiling Point: 215 °F Specific Gravity: 1.138 Molecular Weight: NOT DETERMINED Percent Volitales: NOT DETERMINED Vapor Pressure: 17 Vapor Density: 0.6 pH Factor: 1-3 Solubility: SOLUBLE IN WATER Evaporation Rate: 16.0 Corrosive
10. Stability And Reactivity
Stability: STABLE Hazardous Polymerization: WILL NOT OCCUR
Conditions To Avoid (Stability) Avoid contact with strong acids and alkalis
Incompatible Materials Acids and Alkalis
Hazardous Decomposition Products Oxides of carbon, nitrogen, aldehydes,ketones

### MATERIAL SAFETY DATA SHEET

11. Toxicological Information		
Acute Studies Concentrated product corrosive to skin and mucous membranes		
12. Ecological Information		
No Data Available		
13. Disposal Considerations		
Refer to applicable local, state and federal regulations as well as industry standards.		
14. Transport Information		
<u>Proper Shipping Name</u> Corrosive Liquid, Acidic, Organic, N.O.S. (1-Hydroxyethylidene-1,1-Diphosphonic Acid)		
<u>Hazard Class</u> 8, PGIII (<=4L Consumer Commodity ORM-D)		
DOT Identification Number UN3265		
<u>Additional Shipping Paper Description</u> North American Emergency Response Guide No.153 Not regulated by DOT for ground shipments [see exception for material corrosive to steel/aluminum 49CFR 173.154(d)].		
15. Regulatory Information		
Ingredient(s) - U.S. Regulatory Information 2-BUTOXYETHANOL SARA Title III - Section 313 Form "R"/TRI Reportable Chemical SARA - Acute Health Hazard SARA - Chronic Health Hazard SARA - Fire Hazard		
Ingredient(s) - State Regulations 2-BUTOXYETHANOL New Jersey - Workplace Hazard New Jersey - Environmental Hazard Pennsylvania - Workplace Hazard Massachusetts - Hazardous Substance New York City - Hazardous Substance		
NFPA HMIS		
1 1   2 1   FLAMMABILITY 1   REACTIVITY 1   PERSONAL PROTECTION		
16. Other Information		
Revision/Preparer Information		
MSDS Preparer: JHW		

### MATERIAL SAFETY DATA SHEET

#### **Rendezvous Minute Rinse**

#### Disclaimer

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained therein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purposes(s).

GLB

Printed Using MSDS Generator<sup>™</sup> 2000